

**Durex®**



**DURabond** **50**  
YEARS  
1967-2017

# Contractor's Guide

**Building Products & Solutions**

**FLOOR COATINGS &  
TRAFFIC BEARING WATERPROOFING**

# Pushing the Envelope for Excellence

You have one thing on your mind when it comes to choosing building products & solutions – they have to do more than perform today; they have to outperform for the long term. That’s why for over 50 years, Durabond has been the choice for those who expect more.

We are a leading manufacturer and developer of Exterior Insulated Cladding Systems, Specialized Architectural Coatings, Concrete Restoration Products, Protective Coatings, and a wide range of other related construction products. Whether a high-rise building or a single-family dwelling, a new construction or a restoration project, we understand the critical importance of getting it right the first time.

Our innovative, highly-engineered and tested systems are a creative solution for architects and designers. We are a tried, true and trusted choice for builders, engineers and homeowners who demand durability, superior flexibility, and aesthetic beauty.



---

## Application Method Legend

### Use of Product



Recommended



Not Recommended



Safety Hazard

---

### Application Methods



Trowel



Roller



Spray



Sponge



# Floor Coatings

Flooring products for Industrial and Commercial applications must be durable, aesthetically pleasing, resilient to chemical attack and long-lasting. Durabond's Industrial/Commercial flooring coatings are comprised from 100% solid epoxy, water-based epoxy, urethane and acrylic resin bases to help you achieve a floor coating that performs to your needs.

- Self Leveling & Floor Underlayments
- Industrial Floor Coatings
- Heavy Duty Floor Coatings
- CFIA Approved Food Processing & Pharmaceutical Floor Coatings
- Decorative / Commercial Flooring
- Recreational Flooring Systems

---

## 62 Epoxy Floor Coatings - Thin Build

Durex Epotel 100 GSC  
Durex Epotel 100 GSC Rapid Cure  
Durex Epotel 100 GSA  
Durex Uraflex 100  
Durex Uraflex 100 OP  
Durex Epoxy Guard Pro  
Durex Epotel 100 UR

## 66 Epoxy Floor Coatings - Chemical Resistant

Durex Epotel 100 Novolac  
Durex Epotel 100 CR

## 68 Epoxy Floor Systems - Thick Build

Durex Duracrete Broadcast  
Durex Duracrete Trowel  
Durex Epotel 100 TL  
Durex Duracrete Aggregate

## 71 Polyurethane Flooring Systems

Durex Uracrete

## 72 Decorative Flooring Systems

Durex Art-I-Stone  
Durex Dur-A-Flake  
Durex Dur-A-Quartz Broadcast  
Durex Dur-A-Quartz Trowel  
Durex Granitech

## 77 Topcoats

Durex Acrutel 50  
Durex Aquathane  
Durex Durathane 90  
Durex Polyuretel

## 79 Primers & Accessories

Durex Epotel Multi-Prime  
Durex Moisture Block 100  
Durex Uraflex Primer  
Durex Uraflex Citrus Primer  
Durex Epotel 100 Crack Filler  
Durex Anti Slip Aggregates

## 82 Acrylic Floor Coatings

Durex Acrotel SB  
Durex TBC

## 83 Interior Epoxy Wall Coatings

Durex Epoxy Guard  
Durex Epoxy Guard Pro

## Epoxy Floor Coatings - Thin Build

### DUREX EPOTEL 100 GSC

09 67 00


#### High Performance Smooth Epoxy Floor Coating

Durex® Epotel 100 GSC High Performance Smooth Epoxy Floor Coating is a two component, 100% solids, solvent-free, liquid applied epoxy floor coating. It is designed to provide a high build, tough, durable, abrasion and chemical resistant coating for interior concrete floor surfaces.

#### Possible Uses

Durex® Epotel 100 GSC Epoxy Floor Coating is a roller or squeegee applied general service floor coating used as an interior protective coating in medium to heavy duty commercial and medium to heavy duty industrial floor applications.

ITEM #	ITEM NAME	PACKAGING	COVERAGE
702201	DUREX EPOTEL 100 GSC	5 gal kit	160 ft <sup>2</sup> /gal
702201G	DUREX EPOTEL 100 GSC (GALLON)	1 gal kit	160 ft <sup>2</sup> /gal



### DUREX EPOTEL 100 GSC RAPID CURE

09 67 00

#### Rapid Curing High Performance Smooth Epoxy Floor Coating

Rapid Cure is a two component, 100% solids, solvent-free, fast curing liquid applied epoxy floor coating. It is designed to provide a high build, tough, durable, abrasion and chemical resistant coating for interior concrete floor surfaces.


#### Possible Uses

Rapid Cure is a roller or squeegee applied general service floor coating used as an interior protective coating in light to medium duty commercial and medium industrial floor applications when quick turn-around of the area or application in cold temperature is required.

#### Durex® Epotel 100 GSC Cold Cure

Ultra rapid curing coating used for cold temperature applications.

ITEM #	ITEM NAME	PACKAGING	COVERAGE
702202	DUREX EPOTEL 100 GSC RAPID CURE	5 gal kit	160 ft <sup>2</sup> /gal
702202G	DUREX EPOTEL 100 GSC RAPID CURE (GALLON)	1 gal kit	160 ft <sup>2</sup> /gal
702212	DUREX EPOTEL 100 GSC COLD CURE	5 gal kit	160 ft <sup>2</sup> /gal
702212G	DUREX EPOTEL 100 GSC COLD CURE (GALLON)	1 gal kit	160 ft <sup>2</sup> /gal



## Epoxy Floor Coatings - Thin Build

### DUREX EPOTEL 100 GSA

09 67 00


Industrial/Commercial Concrete Epoxy Floor Coating

Durex® Epotel 100 GSA Industrial/Commercial Concrete Epoxy Floor Coating is a two component, solvent free 100% solids general service epoxy concrete floor coating.

**Possible Uses**

Durex® Epotel 100 GSA Industrial/Commercial Concrete Epoxy Floor Coating is an ideal, versatile epoxy floor coating for use in industrial and warehouse facilities.

ITEM #	ITEM NAME	PACKAGING	COVERAGE
702203	DUREX EPOTEL 100 GSA	5 gal kit	160 ft <sup>2</sup> /gal
702203G	DUREX EPOTEL 100 GSA (GALLON)	1 gal kit	160 ft <sup>2</sup> /gal



### DUREX URAFLEX 100

09 67 00


100% Solids Urethane Flexible Industrial Floor Coating

Durex® Uraflex 100 Flexible Industrial Floor Coating is a 100% solids, two-component polyurethane protective industrial floor coating. It is specially formulated to perform where low temperature, flexibility and chemical resistance are required. This product has excellent chemical properties which make it an extremely versatile coating that outperforms standard epoxy coatings.

**Possible Uses**

Durex® Uraflex 100 Flexible Industrial Floor Coating is used in a variety of interior protective floor coating applications.

ITEM #	ITEM NAME	PACKAGING	COVERAGE
702300	DUREX URAFLEX 100	5 gal kit	150 ft <sup>2</sup> /gal
702300G	DUREX URAFLEX 100 (GALLON)	1 gal kit	150 ft <sup>2</sup> /gal



## Epoxy Floor Coatings - Thin Build

### DUREX URAFLEX 100 OP

09 67 00

100% Solids Urethane Flexible Orange Peel Industrial Floor Coating

Durex® Uraflex 100 OP (Orange Peel) is a 100% solids, two-component polyurethane protective industrial floor coating with a slightly textured finish. It is specially formulated perform were greater hiding power, low temperature, flexibility and chemical resistance are required. This product has excellent chemical properties which make it an extremely versatile coating that outperforms standard epoxy coatings.

#### Possible Uses

Durex® Uraflex 100 OP (Orange Peel) is used in a variety of light to medium duty interior protective floor coating applications where increased hiding power is required. It is typically used as a topcoat on irregular floors to hide imperfections.

ITEM #	ITEM NAME	PACKAGING	COVERAGE
702300OP	DUREX URAFLEX 100 OP	5 gal kit	150 ft <sup>2</sup> /gal
702300OPG	DUREX URAFLEX 100 OP (GALLON)	1 gal kit	150 ft <sup>2</sup> /gal



### DUREX EPOXY GUARD PRO

09 67 00

UV Resistant Water Based Epoxy Coating

Durex® Epoxy Guard Pro Water Based Epoxy Coating is a two-component, versatile, professional grade UV Resistant water-based epoxy coating for floor and wall applications over concrete, gypsum and steel surfaces.

#### Possible Uses

Durex® Epoxy Guard Pro is a versatile, hard wearing protective coating for walls and floors typically used as a protective interior wall coating for concrete and drywall in high traffic applications exposed to UV rays or that require a non-yellowing finish. Mainly for use in institutional and industrial applications. It is also an excellent protective coating for metal surfaces.

ITEM #	ITEM NAME	PACKAGING	COVERAGE
702208	DUREX EPOXY GUARD PRO	5 gal kit	160 ft <sup>2</sup> /gal
702208G	DUREX EPOXY GUARD PRO (GALLON)	1 gal kit	160 ft <sup>2</sup> /gal



## Epoxy Floor Coatings - Thin Build

### DUREX EPOTEL 100 UR

09 67 00

#### Abrasion Resistant High Build Epoxy Floor Coating

Durex® Epotel UR Abrasion Resistant High Build Epoxy Floor Coating is a two-component, 100% solids, solvent-free, liquid applied, modified epoxy floor coating system. It is formulated with greater elongation and crack bridging properties for increased flexibility, but capable of withstanding higher impact loads, while maintaining abrasion and chemical resistance.

#### Possible Uses

Durex® Epotel UR Abrasion Resistant High Build Epoxy Floor Coating is roller or squeegee applied and may be used as an abrasion resistant protective sealer topcoat and/or protective binder coating with broadcast aggregate in commercial and industrial floor applications.

ITEM #	ITEM NAME	PACKAGING	COVERAGE
702241	DUREX EPOTEL 100 UR	18.9 L/pail	160 ft <sup>2</sup> /gal
702241G	DUREX EPOTEL 100 UR (GALLON)	1 gal/pail	160 ft <sup>2</sup> /gal



## Epoxy Floor Coatings - Chemical Resistant

### DUREX EPOTEL 100 NOVOLAC

09 96 35


Ultimate Chemical Resistant Epoxy Floor Coating



DUREX EPOTEL 100 NOVOLAC is a two component, solvent-free (100% solid), high performance Novolac Epoxy coating. It is specially formulated to perform as a durable, heavy duty chemical resistant coating.

#### Possible Uses

DUREX EPOTEL 100 NOVOLAC is used in refineries, heavy duty industrial floors, warehouse, lab, production areas in chemical, pharmaceutical, food processing, and water treatment plants. It has outstanding solvent, stain and chemical resistance properties. DUREX EPOTEL 100 NOVOLAC is odourless, has excellent high gloss, blush and heat resistance properties.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
702242	DUREX EPOTEL 100 NOVOLAC	5 gal kit	160 ft <sup>2</sup> /gal
702242G	DUREX EPOTEL 100 NOVOLAC (GALLON)	1 gal kit	160 ft <sup>2</sup> /gal





## Epoxy Floor Coatings - Chemical Resistant

### DUREX EPOTEL 100 CR

09 96 35

Heavy Duty/Chemical Resistant Industrial Floor Coating

DUREX EPOTEL 100 CR is a two component, solvent-free (100% solid), high performance, heavy duty, fast curing chemical resistant epoxy coating. It is specially formulated to perform as a durable, highly chemical resistance coating used typically over industrial concrete floors. DUREX EPOTEL 100 CR is an ideal, high quality, bluish free and versatile epoxy coating for flooring contractors.

#### Possible Uses

DUREX EPOTEL 100 CR is used for warehouse, lab and production areas, pharmaceutical, food processing plants, refinery, petrochemical complexes and as a secondary containment coating. It has outstanding solvent, stain, gloss and bluish resistance.

ITEM #	ITEM NAME	PACKAGING	COVERAGE
702240	DUREX EPOTEL 100 CR	5 gal kit	160 ft <sup>2</sup> /gal
702240G	DUREX EPOTEL 100 CR (GALLON)	1 gal kit	160 ft <sup>2</sup> /gal



## Epoxy Floor Systems - Thick Build

### DUREX DURACRETE BROADCAST FLOOR SYSTEM



09 67 00

High Build, Abrasion Resistant Broadcasted Epoxy Flooring System (1/16")

Durex® Duracrete Broadcast System is a high build, heavy duty, single colour, aggregate filled epoxy flooring system designed to protect concrete floors from heavy wear, impact, abrasion and mild chemicals in institutional, commercial and industrial environments. Installed at 80- 120 mils (2-3mm), Durex® Duracrete Broadcast System offers excellent abrasion resistance for demanding floor areas.

#### Possible Uses

Durex® Duracrete Broadcast System is used to protect concrete which will be exposed to heavy mechanical abuse and mild chemical attack while providing aggressive slip resistance for added safety. It is best used for heavy traffic industrial, commercial and industrial flooring applications where high abrasion resistance and durability is required.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
702411	DUREX EPOTEL MULTIPRIME	5 gal kit	200 ft <sup>2</sup> /gal
702411G	DUREX EPOTEL MULTIPRIME (GALLON)	1 gal kit	200 ft <sup>2</sup> /gal
701201	DUREX EPOTEL 100 GSC	5 gal kit	80-160 ft <sup>2</sup> /gal
701201G	DUREX EPOTEL 100 GSC (GALLON)	1 gal kit	80-160 ft <sup>2</sup> /gal
-	DUREX EPOTEL OPTION (TOPCOAT)		
	Please refer to pages 58-62, "Epoxy Floor Coatings- Thin Build")		
020202	SILICA #32	22.7KG/Bag	1 - 2 lb/ft <sup>2</sup>

Component	Product	DFT	Coverage	Application Temperature
PRIMER	EPOTEL MULTIPRIME	8 mils	200 ft <sup>2</sup> /Gal	10°C to 35°C
INTERMEDIATE COAT	EPOTEL 100 GSC + Duracrete Aggregate Broadcasted	35 mils + 1/16"	45 ft <sup>2</sup> /Gal	10°C to 35°C
TOP COAT	EPOTEL (Component Option)	10 - 20 mils	80 - 160 ft <sup>2</sup> /Gal	10°C to 35°C

## Epoxy Floor Systems - Thick Build

### DUREX DURACRETE TROWEL FLOOR SYSTEM


09 67 00

#### Resilient Trowel Epoxy Flooring System (1/4")

Durex® Duracrete Trowel System is an extremely durable, single colour, trowel applied industrial floor overlayment designed to restore damage concrete or protect new concrete from high impact, abrasion, wear and mild chemicals in institutional, commercial and industrial environments. Durex® Duracrete Trowel System consists of a tough silica sand mixture embedded in a 100% solids epoxy resin, which is finished to provide an extremely durable, extra heavy-duty flooring system.

#### Possible Uses

Durex® Duracrete Trowel System is used to protect new concrete which will be exposed to mechanical and chemical abuse, or to resurface, level, pitch or slope existing floor slabs in industrial applications. Additional features such as chemical resistance and UV resistance can be attained by applying customizable top coats.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
702411	DUREX EPOTEL MULTIPRIME	5 gal kit	200 ft <sup>2</sup> /gal
702411G	DUREX EPOTEL MULTIPRIME (GALLON)	1 gal kit	200 ft <sup>2</sup> /gal
702205	DUREX EPOTEL 100 TL	5 gal kit	80-160 ft <sup>2</sup> /gal
702205G	DUREX EPOTEL 100 TL (GALLON)	1 gal kit	80-160 ft <sup>2</sup> /gal
702952	DUREX DURACRETE AGGREGATE	Bag	?
-	DUREX EPOTEL OPTION (GROUT COAT) Please refer to pages 58-62, "Epoxy Floor Coatings- Thin Build")		
-	DUREX EPOTEL OPTION (TOPCOAT) Please refer to pages 58-62, "Epoxy Floor Coatings- Thin Build")		

Component	Product	DFT	Coverage	Application Temperature
PRIMER	EPOTEL MULTIPRIME	8 mils	200 ft <sup>2</sup> /Gal	10°C to 35°C
INTERMEDIATE COAT	EPOTEL 100 TL + Duracrete Aggregate	1/4" - 3/8"	35 ft <sup>2</sup> /Gal	10°C to 35°C
GROUT COAT	EPOTEL (Component Option)	15 - 20 mils	80 - 120 ft <sup>2</sup> /Gal	10°C to 35°C
TOP COAT	EPOTEL 100 + (Component Option)	10 - 15 mils	120 - 160 ft <sup>2</sup> /Gal	10°C to 35°C

## Epoxy Floor Systems - Thick Build

### DUREX EPOTEL TL

09 67 00

100% Solids Epoxy Trowel Liquid & Motar Binder

Durex® Epotel TL Epoxy Trowel Binder is a two-component, 100% solids, solvent-free, liquid applied, aggregate filled binder. It is designed to be mixed with standard or decorative aggregates to provide a high build, tough, durable, abrasion and chemical resistant coating for interior floor surfaces.

#### Possible Uses

Durex® Epotel TL Epoxy Trowel Binder is used as a trowel or screed applied epoxy based aggregate binder for decorative, self-leveling or trowel applied flooring systems where high impact and abrasion resistance is required. These systems are to be used in heavy duty industrial environments, sanitary environments subject to constant cleaning and as an effective repair material for problematic worn concrete floors. May also be used as a penetrating primer.



ITEM #	ITEM NAME	PACKAGING
702101	DUREX Epotel TL	5GAL-2K
702101G	DUREX Epotel TL	1GAL-2K

### DUREX DURACRETE AGGREGATE

09 67 00

Pre-blended silica sand mixture

Pre-blended silica sand mixture for trowel and grout epoxy applications.

#### Possible Uses

Mixed with Durex Epotel TL to create an epoxy trowel mortar.



ITEM #	ITEM NAME	PACKAGING
010124	DUREX DURACRETE AGGREGATE	50 lb/bag

## Polyurethane Flooring Systems

### DUREX URACRETE

09 62 00

#### Cementitious Polyurethane Industrial Floor Screed System

DUREX URACRETE is a high solids cementitious polyurethane industrial floor screed system.

#### Available in the Following Grades

- URACRETE TG (Trowel Grade): as trowel applied floor coating
- URACRETE VG (Vertical Grade): applied on vertical surfaces as a cove preparation for seamless flooring
- URACRETE SL (Self Leveling): a self leveling floor coating for high-end applications. Broadcasting of aggregates strongly recommended. Easy to apply.




#### Applications

- Wet Areas
- Commercial Kitchens and Restaurants
- Meat/Poultry and Dairy Processing
- Pharmaceutical Plants
- Processing Areas

#### Benefits

- Canadian Food Inspection Agency (CFIA) approved
- Non-toxic, odourless
- No primers required
- Slip resistant
- Thermal Shock Resistant
- Easy to maintain
- Chemical resistant
- Hygienic, does not harbour bacteria
- No ventilation required during application



#### Possible Uses

URACRETE is an industrial polyurethane floor screed system for industrial processing floor applications, specifically for the pharmaceutical and food processing industries. It is designed to protect concrete, polymer reinforced screeds, mild steel and water resistant plywood from chemical attack, corrosion, impact and thermal shock. It is unaffected by freeze/thaw cycles.

ITEM #	ITEM NAME	PACKAGING	COVERAGE
702310	DUREX Uracrete TG (Trowel Grade)	3 Component Kit	16-20 ft <sup>2</sup> /kit
702311	DUREX Uracrete SL (Self Leveling)	3 Component Kit	35 ft <sup>2</sup> /kit
702312	DUREX Uracrete VG (Vertical Grade)	3 Component Kit	16 ft <sup>2</sup> /kit
702312	DUREX Uracete Topcoat	3 Component Kit	40 ft <sup>2</sup> /kit

**Note:** Strictly available to certified, approved applicators



## Decorative Floor Systems

### DUREX ART-I-STONE

03 53 00

#### Decorative Concrete Flooring Overlayment System

DUREX ART-I-STONE is a cementitious, two component polymer modified, flexible coating, which is suitable for both interior and exterior floor and wall surfaces. This well balanced blend of selected aggregates and various types of cement work in synergy to create beautiful textured and coloured patterns which replicate a wide range of finishes such as tile, stone, slate and many more.

#### Possible Uses


It can be used as a topcoat on concrete floor surfaces and on a variety of wall surfaces such as gypsum wall-board, brick, concrete, cement board, fiber reinforced gypsum and many others. It is offered in a number of standard textures, colours and patterns, however it can be custom-designed to meet even the most demanding design or architectural needs.

ITEM #	ITEM NAME	PACKAGING	UNITS/PALLET	COVERAGE
010901	DUREX Art-I-Stone Flooring	22.7 kg/bag	63 bags/pallet	50-60 ft <sup>2</sup> /bag
010902	DUREX Art-I-Stone Flooring (Gallon)	1 gal/jug	4 jugs/box	50-60 ft <sup>2</sup> /bag
010903	DUREX Art-I-Stone Binder (Pail)	18.9 L/pail	48 pails/pallet	700-1000 ft <sup>2</sup> /pail or coat



#### Liquid Colourants

605002AX	"AX"	Tint - Hansa Yellow	Quart
605002B	"B"	Tint - Lamp Black	Quart
605002C	"C"	Tint - Yellow Oxide	Quart
605002D	"D"	Tint - Thalo Green	Quart
605002E	"E"	Tint - Thalo Blue	Quart
605002F	"F"	Tint - Fast Red	Quart
605002I	"I"	Tint - Brown Oxide	Quart
605002L	"L"	Tint - Raw Umber	Quart
605002LB	"LB"	Tint - Lucanol Blue	Quart
605002LD	"LD"	Tint - Lucanol Green	Quart
605002LU	"LU"	Tint - Lucanol Red	Quart
605002PR	"PR"	Tint - Plastic Colour Red	Quart
605002R	"R"	Tint - Exterior Red	Quart
605002T	"T"	Tint - Medium Yellow	Quart
605002V	"V"	Tint - Magenta	Quart
605002KX-G	"KX" - Titanium	Tint - White	Gallon



**Note:** Contact Durabond for Appropriate Sealer Recommendations

## Decorative Floor Systems

### DUREX DUR-A-FLAKE



09 67 00

#### Seamless Epoxy Encapsulated Coloured Flakes Floor System

Durex® Dur-A-Flake is a decorative, seamless, Epoxy Encapsulated coloured flakes flooring system designed to protect concrete floors or subject to moderate wear and tear. Dur-A-Flake consists of a primer, a base coat, broadcast coloured chips and topcoats.

#### Possible Uses

Durex® Dur-A-Flake Seamless Decorative Floor System is a cost effective decorative flooring solution for industrial, commercial, residential and institutional floors. It is available with 8 standard colour blends as well as an unlimited array of custom colour blends. Durex Dur-A-Flake can be installed in a variety of different types of applications including residential garages and work-shops, commercial store flooring, veterinary applications, pharmaceutical labs, restaurant and food service applications, health care facilities or any type of seamless flooring application that require an economical decorative finish.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
702411	DUREX EPOTEL MULTIPRIME	5 Gal Pail - 5 K	200 ft²/gal
702411G	DUREX EPOTEL MULTIPRIME (GALLON)	1 Gal/Pail	200 ft²/gal
701201	DUREX EPOTEL 100 GSC	5 Gal Pail - 5 K	80-160 ft²/gal
701201G	DUREX EPOTEL 100 GSC (GALLON)	1 Gal/Pail	80-160 ft²/gal
702910	DUREX CHIP FLAKES	1 lb	-
702241	DUREX EPOTEL 100 UR	5 Gal Pail - 5 K	80-160 ft²/gal
702241G	DUREX EPOTEL 100 UR (GALLON)	1 Gal/Pail	80-160 ft²/gal
702502	DUREX ACRUTEL 50	5 Gal Pail - 5 K	300 ft²/gal
702502G	DUREX ACRUTEL 50 (GALLON)	1 Gal/Pail	300 ft²/gal

Component	Product	DFT	Coverage	Application Temperature
PRIMER	EPOTEL MULTIPRIME OPTIONAL	8 mils	200 ft²/Gal	10°C to 40°C
INTERMEDIATE COAT	CHIP FLAKES & EPOTEL 100 GSC	15 mils	100 ft²/Gal	10°C to 35°C
1° TOP COAT	EPOTEL 100 GSC or POLYURATEL	5-10 mils	160-320 ft²/Gal	10°C to 35°C
OPTIONAL 2° TOP COAT	ACRUTEL 50	3 mils	400 ft²/Gal	10°C to 35°C

## Decorative Floor Systems

### DUREX DUR-A-QUARTZ BROADCAST



09 67 26

#### Decorative Multi-Coloured Quartz Broadcasted Epoxy Flooring System

Durex® Dur-A-Quartz Decorative Quartz Broadcast System is a high build, heavy duty, decorative, multi coloured fine aggregate epoxy flooring system that is top coated with a clear protective sealer, designed to protect concrete floors from heavy wear, impact, abrasion and mild chemicals while yielding an aesthetically pleasing finish. Installed at 80-120 mils (2-3 mm), the Durex® Dur-A-Quartz Decorative Quartz Broadcast System offers excellent abrasion resistance for demanding floor areas.

#### Possible Uses

Durex® Dur-A-Quartz Decorative Quartz Broadcast System is used as decorative and protective epoxy flooring system for areas that will be exposed to high traffic, heavy mechanical abuse and mild chemical attack. It is best used for institutional, commercial, and higher-end industrial flooring applications where high abrasion resistance and durability is required.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
702411	DUREX EPOTEL MULTIPRIME	5 gal kit	200 ft <sup>2</sup> /gal
702411G	DUREX EPOTEL MULTIPRIME (GALLON)	1 gal kit	200 ft <sup>2</sup> /gal
701201	DUREX EPOTEL 100 GSC	5 gal kit	80-160 ft <sup>2</sup> /gal
701201G	DUREX EPOTEL 100 GSC (GALLON)	1 gal kit	80-160 ft <sup>2</sup> /gal
702914	DUREX QUARTZ BLEND BROADCAST	22.7KG/Bag	7.4 kg/m <sup>2</sup>
702201X	DUREX EPOTEL 100 GSC CLEAR	5 gal kit	80-160 ft <sup>2</sup> /gal
702201XG	DUREX EPOTEL 100 GSC CLEAR (GALLON)	1 gal kit	80-160 ft <sup>2</sup> /gal
702502	DUREX ACRUTEL 50	18.9 L/Pail	300 ft <sup>2</sup> /gal
702502G	DUREX ACRUTEL 50 (GALLON)	1 Gal/Pail	300 ft <sup>2</sup> /gal

Component	Product	DFT	Coverage	Application Temperature
PRIMER	EPOTEL MULTIPRIME	8 mils	200 ft <sup>2</sup> /Gal	10°C to 40°C
INTERMEDIATE COAT	EPOTEL GSC	30 mils	54 ft <sup>2</sup> /Gal	10°C to 40°C
	COLOURED QUARTZ + EPOTEL 100 GSC	30 mils	54 ft <sup>2</sup> /Gal	10°C to 40°C
1° TOP COAT	EPOTEL 100 GSC CLEAR	10 - 20 mils	80 - 120 ft <sup>2</sup> /Gal	10°C to 35°C
OPTIONAL 2° TOP COAT	ACRUTEL 50	3 mils	300 ft <sup>2</sup> /Gal	10°C to 35°C



## Decorative Floor Systems

### DUREX DUR-A-QUARTZ TROWEL


09 67 26

Decorative Multi-Coloured Quartz Trowel Applied Epoxy Flooring System

Durex® Dur-A-Quartz Decorative Quartz Trowel System is a thick build multi-coloured decorative floor overlayment engineered to create a durable, seamless floor that is aesthetically pleasing. Installed at a nominal thickness of 3-6mm (1/8" - 1/4"), Durex® Dur-A-Quartz Decorative Quartz Trowel System is an attractive, durable flooring system designed to restore damaged concrete or protect new concrete from impact, abrasion, wear, and mild chemicals in a variety of institutional, commercial and industrial environments.

#### Possible Uses

Durex® Dur-A-Quartz Decorative Quartz Trowel System is used to beautify and protect concrete which will be exposed to mechanical and/or chemical abuse, or to resurface, level, pitch or slope existing floor slabs in decorative applications. The system is to be installed where utmost protection against mechanical abuse is required and where an aesthetically pleasing finish is desired.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
702411	DUREX EPOTEL MULTIPRIME 1	5 gal kit	200 ft <sup>2</sup> /gal
702411G	DUREX EPOTEL MULTIPRIME (GALLON)	1 gal kit	200 ft <sup>2</sup> /gal
702915	DUREX QUARTZ BLEND TROWEL	22.7KG/Bag	7.4 kg/m <sup>2</sup>
701201	DUREX EPOTEL 100 GSC	5 gal kit	80-160 ft <sup>2</sup> /gal
701201G	DUREX EPOTEL 100 GSC (GALLON)	1 gal kit	80-160 ft <sup>2</sup> /gal
702205	DUREX EPOTEL 100 TL	5 gal kit	80-160 ft <sup>2</sup> /gal
702205G	DUREX EPOTEL 100 TL (GALLON)	1 gal kit	80-160 ft <sup>2</sup> /gal
702502	DUREX ACRUTEL 50	18.9 L/Pail	300 ft <sup>2</sup> /gal
702502G	DUREX ACRUTEL 50 (GALLON)	1 Gal/Pail	300 ft <sup>2</sup> /gal

Component	Product	DFT	Coverage	Application Temperature
PRIMER	EPOTEL MULTIPRIME	8 mils	200 ft <sup>2</sup> /Gal	10°C to 40°C
INTERMEDIATE COAT	COLOURED QUARTZ AGGREGATE & EPOTEL 100 TL	1/4" - 1/8"	35 - 70 ft <sup>2</sup> /Gal	10°C to 35°C
1° TOP COAT	EPOTEL 100 GSC	15 - 20 mils	80 - 120 ft <sup>2</sup> /Gal	10°C to 35°C
OPTIONAL 2° TOP COAT	ACRUTEL 50	3 mils	300 ft <sup>2</sup> /Gal	10°C to 35°C

## Decorative Floor Systems

### DUREX GRANITECH


09 67 00

#### Self-Leveling Granite Epoxy Floor System

Durex® Granitech is a unique liquid applied decorative epoxy floor system. It is easily installed as a threestep system to produce a tough durable multi-coloured granite-like finish. Durex® Granitech incorporates a coloured epoxy based primer, a thixotropic multicoloured coating system with a clear abrasion resistant topcoat sealer to yield a long wearing decorative granite-look floor.

#### Possible Uses

Durex® Granitech is used as a decorative flooring system to product a long-term, low maintenance floor for high traffic retail, commercial, residential and institutional applications. The finish topcoat is available in smooth or fine texture to provide sure footing and anti-slip properties. Decorative flakes can be broadcasted for additional aesthetics as desired.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
702411	DUREX EPOTEL MULTIPRIME	5 gal kit	200 ft <sup>2</sup> /gal
702411G	DUREX EPOTEL MULTIPRIME (GALLON)	1 gal kit	200 ft <sup>2</sup> /gal
702350	DUREX POLYURETEL	5 gal kit	4 m <sup>2</sup> /L
702350G	DUREX POLYURETEL (GALLON)	1 gal kit	160 ft <sup>2</sup> /gal
702205	DUREX EPOTEL 100 TL	5 gal kit	80-160 ft <sup>2</sup> /gal
702205G	DUREX EPOTEL 100 TL (GALLON)	1 gal kit	80-160 ft <sup>2</sup> /gal
702502	DUREX ACRUTEL 50	5 gal kit	300 ft <sup>2</sup> /gal
702502G	DUREX ACRUTEL 50 (GALLON)	1 gal kit	300 ft <sup>2</sup> /gal
-	DUREX GRANITECH	-	30 ft <sup>2</sup> /gal

Component	Product	DFT	Coverage	Application Temperature
PRIMER	EPOTEL MULTIPRIME	8 mils	200 ft <sup>2</sup> /Gal	10°C to 40°C
INTERMEDIATE COAT	GRANITECH	1/16"	60 ft <sup>2</sup> /Gal	10°C to 40°C
TOP COAT	ACRUTEL 50 OR POLYURATEL	3-5 mils	300-400 ft <sup>2</sup> /Gal	10°C to 40°C

## Topcoats

### DUREX ACRUTEL 50

09 62 00

#### High-Performance Polyurethane Flooring Topcoat

Durex® Acrutel-50 High Performance UV Resistant Clear Polyurethane Flooring Topcoat is a crosslinked, water-based, thin build, liquid applied urethane floor coating. This high performance formulation offers excellent abrasion and UV resistance for colour and gloss stability.

#### Possible Uses

DUREX ACRUTEL 50 can be used over a variety of flooring materials as a protective and durable topcoat. It can be used in retail/commercial applications, industrial plants and warehouses, over plastic and fiberglass surfaces, concrete and masonry floors.

Available in: Gloss, Semi-gloss, Satin, Matte.

ITEM #	ITEM NAME	PACKAGING	COVERAGE
701502	DUREX ACRUTEL 50	5 Gal Pail	7.5 m2/L
701502G	DUREX ACRUTEL 50 (GAL)	1 Gal/Pail	300 ft <sup>2</sup> /gallon



### DUREX AQUATHANE

09 62 00

#### Pigmented Water Based Urethane Coating

Durex® Aquathane Pigmented Water Based Urethane Coating is a catalyzed, very durable and high performance water-based, self cross-linking aliphatic urethane coating. It is specially formulated as a durable, UV resistant flooring topcoat. Durex® Aquathane may also be used to coat plastics such as PVC, primed polypropylene and exterior grade vinyl.

#### Possible Uses

Durex® Aquathane Pigmented Water Based Urethane Coating is designed as a UV Resistant flooring topcoat for interior and exterior surfaces. It can also be used to coat wood and plastics such as PVC, primed polypropylene and exterior grade vinyl.

ITEM #	ITEM NAME	PACKAGING	COVERAGE
702505	DUREX AQUATHANE	5 Gal Pail	11-12 m2/L
702505	DUREX AQUATHANE (GAL)	1 Gallon	400-500 ft <sup>2</sup> /gal



## Topcoats

### DUREX DURATHANE 90

09 62 00

#### Non-Yellowing UV Resistant Polyurethane Coating

Durex® Durathane 90, Non Yellowing UV Resistant Polyurethane Coating is a versatile, easy to use, thin build, abrasion resistant, durable, non-yellowing aliphatic urethane coating engineered specifically for coating and protecting a variety of surfaces.

#### Possible Uses

Durex® Durathane 90 is used as a UV Resistant topcoat for interior and exterior applications. It is used as a stand-alone floor coating or part of the Durex Floor Coating Systems to effectively protect surfaces and provide long lasting gloss and colour retention. Durex® Durathane 90 is also an effective coating for metal, a highly protective and durable wall coating and a topcoat for wood.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
702806	DUREX DURATHANE 90	5 gal kit	9.2 m2/pail
702806G	DUREX DURATHANE 90 (GAL)	1 gal kit	400 ft <sup>2</sup> /gallon

### DUREX POLYURETEL

09 62 00

#### High Build UV Resistant Polyaspartic Floor Coating

Durex® Polyuretel High Build UV-Resistant Polyaspartic Floor Coating is a two-component, polyaspartic based, liquid applied protective floor coating. This fast curing, very low VOC formulation has a low viscosity with outstanding “wetting” properties, abrasion and UV resistance for colour and gloss stability, with exceptional weathering and chemical resistance properties.

#### Possible Uses

Durex® Polyuretel High Build UV-Resistant Polyaspartic Floor Coating is a roller, brush or spray applied topcoat used in a wide range of institutional, commercial and industrial floor applications where long term durability, impact, abrasion and chemical resistance is required. This product is used as a clear or pigmented protective topcoat used in both interior and exterior applications.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
702350	DUREX POLYURETEL	5 gal kit	4 m2/L
702350G	DUREX POLYURETEL (GAL)	1 gal kit	160 ft <sup>2</sup> /gal

## Primers & Accessories

### DUREX EPOTEL MULTI-PRIME

09 67 00

100% Solids Epoxy Flooring Primer

Durex® Epotel Multi-Prime 100% Solids Epoxy Primer is a two-component, solvent-free, low viscosity penetrating epoxy primer for interior and exterior concrete floors. It is specially formulated as a durable, highly penetrating primer for a variety of flooring applications.

#### Possible Uses

Durex® Epotel Multi-Prime 100% Solids Epoxy Primer is designed for use with Durex® brand epoxy, urethane and acrylic floor coatings to enhance adhesion, increase durability and extend coverage rates. It is an ideal primer for new concrete surfaces, chalky surfaces and/or surfaces which have been previously coated.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
702411	DUREX EPOTEL MULTIPRIME	5 gal kit	200 ft <sup>2</sup> /gal
702411G	DUREX EPOTEL MULTIPRIME (GAL)	1 gal kit	200 ft <sup>2</sup> /gal

### DUREX EPOTEL MOISTURE BLOCK 100

07 18 00

Moisture Vapour Mitigating and Hydrostatic Pressure Blocking Coating System

Durex® Epotel Moisture Block 100 is a two-component, 100% Solids Epoxy, Class 1 Vapour Diffusion Retarder formulated to block hydrostatic pressure by suppressing moisture vapour from transmitting through concrete substrates. Durex® Epotel Moisture Block 100 prevents the penetration of moisture from within or beneath the concrete slab to penetrate through the surface.

It is designed to protect subsequent impermeable floor coverings/coatings from delaminating. It can be applied on freshly poured concrete slabs after 7 days.

#### Possible Uses

Durex® Epotel Moisture Block 100 is used as a first coat penetrating primer over freshly poured or existing concrete slabs to control moisture by preventing hydrostatic pressure from penetrating through the coating. It is used as a moisture blocking coating under a variety of impermeable floor coverings to prevent blistering and delamination. It is to be used over impermeable flooring systems such as traffic bearing waterproofing coatings, 100% solids epoxy coatings, vinyl tiles and sheeting, rubber-backed carpet and wood floors.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
701401	DUREX EPOTEL MOISTURE BLOCK 100	5GAL-2K	1500 ft <sup>2</sup> /pail
701404G	DUREX EPOTEL MOISTURE BLOCK 100	1GAL-2K	300 ft <sup>2</sup> /pail

## Primers & Accessories

### DUREX URAFLEX PRIMER

09 67 00

#### Two Component Polyurethane Penetrating Primer

DUREX URAFLEX PRIMER is a two component, polyurethane protective flooring membrane with zero VOC. It is specially formulated to perform where low temperature, flexibility and moisture tolerance is required. This product must be top coated, unless otherwise suggested.

#### Possible Uses

DUREX URAFLEX PRIMER has versatile application properties which perform as a protective membrane for various flooring and balcony coating applications. It is used for tank coating primer, wood deck primer, damp concrete primer, walls with > 250 microns thickness and crack filler up to a thickness of 10mm (>1/4”).



ITEM #	ITEM NAME	PACKAGING	COVERAGE
702301	DUREX URAFLEX PRIMER	5 gal kit	200 ft <sup>2</sup> /gal
702301G	DUREX URAFLEX PRIMER (GAL)	1 gal kit	200 ft <sup>2</sup> /gal

### DUREX URAFLEX CITRUS PRIMER

09 67 00

#### Polyurethane Penetrating Primer For Oil Contaminated Surfaces

Durex® Uraflex Citrus Primer is a two-component, modified polyurethane penetrating primer for surfaces contaminated by oil and similar substances. This product is formulated to perform where concrete has been contaminated with oil based substances.

#### Possible Uses

Durex® Uraflex Citrus Primer penetrates through oil and similar contaminants to bond and seal the substrates, as well as release potential out-gassing and leeching. Durex® Uraflex Citrus Primer has exceptionally unique priming, penetrating, and application properties for problematic oil soiled concrete substrates.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
702302	DUREX URAFLEX CITRUS PRIMER	5 gal kit	200 ft <sup>2</sup> /gal
702302G	DUREX URAFLEX CITRUS PRIMER (GAL)	1 gal kit	200 ft <sup>2</sup> /gal

## Primers & Accessories

### DUREX EPOTEL 100 CRACK FILLER

09 62 00

Epoxy Flooring Joint and Crack Treatment Compound

Durex® Epotel 100 Joint & Crack Filler is a two-component, solvent-free (100% solid) rapid curing flexible epoxy joint and crack filling compound for concrete floors.

#### Possible Uses

Durex® Epotel 100 Joint & Crack Filler is suitable for filling cracks and non-moving construction joints for interior floors. It can also be used as a non-drip adhesive for masonry, wood and metal substrates.



ITEM #	ITEM NAME	PACKAGING
702551	DUREX EPOTEL 100 CRACK FILLER	5 gal kit
702551G	DUREX EPOTEL 100 CRACK FILLER (GAL)	1 gal kit

### ANTI-SLIP AGGREGATES

09 67 00

Silica Sand Based Aggregate

Silica Sand based aggregates available in a various amount of mesh sizes. Shark grip is an ultra fine plastic based anti-slip additive.

#### Possible Uses

Silica Sands are used for creating anti-slip textures and increasing the coefficient of friction for coatings. They are also used to create durability and add body to coatings when broadcasted in heavier saturations. Size of sand ranges from smallest to largest: #32 Silica, GS-20, GS-18, GS-16. Silica Sand #32 is to be used to balcony and pedestrian applications as well as full broadcast flooring applications. GS-20 and GS-18 are primarily used for vehicular and industrial type of applications. GS-16 is used for a very aggressive anti-slip. Shark-Grip is an ultra fine additive typically added to thin (5 mils or less) sealers and topcoats to increase the coefficient of friction without leaving a noticeable surface profile.



ITEM #	ITEM NAME	PACKAGING
020202	#32 SILICA SAND	50 lbs
912702	GS-20 SILICA SAND	50 lbs
912701	GS-18 SILICA SAND	100 lbs
912703	GS-16 SILICA SAND	100 lbs
702920-8	SHARK GRIP (ULTRA FINE ADDITIVE)	350 g/container

## Acrylic Floor Coatings

### DUREX ACROTEL SB

09 39 23

#### Pigmented Protective Sealer for Concrete & Masonry

Durex® Acrotel SB Pigmented Protective Sealer for Concrete & Masonry is a high performance solvent based, acrylic modified VOC complaint pigmented sealer formulated to protect and enhance concrete and masonry substrates.

#### Possible Uses

Durex® Acrotel SB Pigmented Protective Sealer for Concrete & Masonry is to used provide a tough, durable, hard-wearing, long-lasting pigmented sealer for protecting concrete and masonry structures against the penetration of water, moisture and contaminants. It is also used as a coating for light traffic horizontal surfaces, such as balcony floors and lightly used walkways & stairwells. Durex® Acrotel SB Pigmented Protective Sealer for Concrete & Masonry is to be used throughout the construction season and is considered to be an all-season application product as it is formulated to cure down to minus 5 degrees Celsius.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
702101	DUREX ACROTEL SB	18.9 L/Pail	350 ft²/gal
702101G	DUREX ACROTEL SB (GAL)	1 Gal/Pail	350 ft²/gal

### DUREX TBC

09 39 23

#### Skid Resistant Maintenance Floor Coating

DUREX TBC is a high quality di-vinyl ester-based heavy duty maintenance coating which provides excellent durability and safety protection to all types of surfaces in any type of environment, with particularly exceptional protection for steel and concrete surfaces.

#### Possible Uses

Some of the areas where DUREX TBC can be used are parking garage floors for protection against chloride penetration; industrial floors for a safe, non-slip finish and protection against acid, oil, gas, etc; structural steel (bridges, storage tanks, etc); all areas around dock yards.



ITEM #	ITEM NAME	PACKAGING	UNITS/PALLET	COVERAGE
010503	DUREX TBC	18.9 L/pail	48 pails/pallet	425 ft²/pail



## Interior Epoxy Wall Coatings

### DUREX EPOXY GUARD

09 96 00

High Gloss Water Based Epoxy Concrete Floor & Wall Coating

DUREX® EPOXY GUARD is an extended pot life, easy to use, water-based, two-component high gloss epoxy floor and wall coating. It is specially formulated to protect interior walls and floors.

#### Possible Uses

DUREX® EPOXY GUARD is a versatile, hard wearing protective coating for walls and floors typically used as a protective interior wall coating for concrete and drywall in high traffic applications exposed that are not exposed to UV rays. Mainly for use in institutional and industrial applications. Also can be used as a protective coating for metal.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
702204	DUREX EPOXY GUARD	5 gal kit	350 ft <sup>2</sup> /gal
702204G	DUREX EPOXY GUARD (GAL)	1 gal kit	350 ft <sup>2</sup> /gal

### DUREX EPOXY GUARD PRO

09 96 00

Non-Yellowing High Gloss Water Based Epoxy Concrete Floor & Wall Coating

DUREX EPOXY GUARD PRO is a quick drying, two component, versatile water-based epoxy coating. It is odourless, has very low VOC, and excellent abrasion, early water and fast dry resistance properties. It is specially formulated to meet the conditions and properties required for sealing of concrete substrate.

#### Possible Uses

DUREX EPOXY GUARD PRO is a professional grade versatile epoxy protective coating typically used over concrete. It is excellent for concrete garage floor and industrial safety line epoxy paint. DUREX EPOXY GUARD PRO is used as a primer or topcoat for concrete.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
702208	DUREX EPOXY GUARD PRO	5 gal kit	260 ft <sup>2</sup> /gal
702208G	DUREX EPOXY GUARD PRO (GAL)	1 gal kit	260 ft <sup>2</sup> /gal

**Concrete & Masonry Restoration**

- Concrete Mix Design Charts
- Durex Dur-A-Patch
- Durex Dryplast
- Durex Dryplast Concentrate
- Durex Uniplast & Acrylic Resin Bond
- Durex Flexcrete
- Durex Ectoflex
- Durex Dur-A-Top 15 Self Leveling Cement
- Durex Sand Mix
- Portland Cement
- Tremco Dymonic 100
- Tremco Vulkem 45 SSL
- Durex EMC Knife Grade
- Durex Acrybond Concentrate
- Acrylic Resin Bond
- Dur-A-Patch Liquid Additive
- Durex Cement Bond
- Durex Acrybond 'S'
- Durex AR Grade 1" Grid Concrete Reinforcing Mesh
- Durex E-Grade 1½" Grid Concrete Reinforcing Mesh (AR Coated)
- Durex Fiberglass Reinforcing Mesh
- Concrete Restoration Guide
- Masonry Restoration Guide

**Moisture Protection**

- Durex Flexcrete
- Durex Blue Shield
- Durex Dur-A-Mastic 100
- Durex Green Guard Plus
- Durex Ectoflex
- Durex Barrier Seam Tape
- Durex Flex Seal
- Durex Flex Seal VP
- Durex Dur-O-Lastic
- Durex Ectoflex
- Super Stick Building Tape
- Durex Flex-Seal Wall Flashing Tape
- Durex Flex-Seal Red Primer
- Durex Durathane B500
- Durex Uraflex 360/375UV
- Durex Acrotel SB
- Durex Uraflex Traffic Bearing Waterproofing System
- Durex Mechanical Room Waterproofing System
- Durex Garbage Room Waterproofing System
- Durex Uraflex 360
- Durex Uraflex 361
- Durex Uraflex 375 UV

**Protective Coatings & Sealers**

- Durex Brush Coat
- Acrotel EC-A
- Durex Ecto-Sil 1000

- Durex EMC
- Durex EMC Knife Grade
- Durex Roltex
- Durex Dur-X-Cel 100
- Durex Dur-X-Cel Primer
- Durex Acrotel SB Non-Porous Primer
- Durex Durathane 90
- Durex Epotel Anti-Corrosion Metal Primer
- Durex Epotel WB DTM
- Durex TBC
- Durex Acrotel SB Metal Primer
- Durex Acrotel DTM
- Durex Acrotel SB Primer
- Durex Acrotel SB Metal
- Durex Wall Seal
- Durex Dur-A-Seal A28
- Durex Dur-A-Seal A.G.
- Durex Dur-A-Seal XL 250
- Durex Acrotel SB Floor Grade
- Durex Concrete Sealer WB 18/25
- Durex Epotel 80
- Durex Diamond LOK
- Durex Silane WRS 40/100

**Floor Coatings**

- Durex Epotel 100 GSC
- Durex Epotel 100 GSC Rapid Cure
- Durex Epotel 100 GSA
- Durex Uraflex 100
- Durex Uraflex 100 OP
- Durex Epoxy Guard Pro
- Durex Epotel 100 UR
- Durex Epotel 100 Novolac
- Durex Epotel 100 CR
- Durex Duracrete Broadcast
- Durex Duracrete Trowel
- Durex Epotel 100 TL
- Durex Duracrete Aggregate
- Durex Uracrete
- Durex Art-I-Stone
- Durex Dur-A-Flake
- Durex Dur-A-Quartz Broadcast
- Durex Dur-A-Quartz Trowel
- Durex Granitech
- Durex Acrutel 50
- Durex Aquathane
- Durex Durathane 90
- Durex Polyuretrel
- Durex Epotel Multi-Prime
- Durex Moisture Block 100
- Durex Uraflex Primer
- Durex Uraflex Citrus Primer

- Durex Epotel 100 Crack Filler
- Durex Anti Slip Aggregates
- Durex Acrotel SB
- Durex TBC
- Durex Epoxy Guard
- Durex Epoxy Guard Pro

**Exterior Wall Systems**

- Durex Flexlite Select
- Durex Quantum Select
- Durex Quantum Select MF
- Durex Quantum 5.0
- Durex Quantum Select ICF
- Durex Equalite
- Durex Insulite EW-17
- Durex Flexlite ADH
- Durex Lite Coat
- Durex Stucco Lite
- Durex Stucco Wall
- Durex ICF Coating

**Architectural Coatings & Decorative Finishes**

- Durex Marble Coat 1.5
- Durex Marble Coat 1.0
- Durex Venecian
- Pebble Float
- Durex Sandex
- Durex Trim Spray
- Durex Stucco Spray
- Durex Graffiato
- Durex Sandstone
- Durex Rasato
- Durex Rustico
- Durex Antico Glaze
- Durex Trowel Grade Stucco
- Durex Gemstone
- Durex Granite
- Durex Stonetex
- Durex Crystal Coat
- Durex Cromatex
- Durex Aggex
- Durex Rough Cast
- Durex Decorative Stucco Ext
- Durex Monocapa
- Durex Monofino
- Durex Dur-A-Brick
- Durex Brush Coat
- Durex EMC
- Durex Dur-X-Cel 100
- Durex Roltex
- Durex Kolor Gard
- Durex Elastomeric Brush Coat
- Durex Elastomeric Graffiato
- Durex Elastomeric Marble Coat 1.0
- Durex Elastomeric Marble Coat 1.5
- Durex Elastomeric Sandex
- Durex Elastomeric Venecian

- Acroplast Venetian Plaster
- Durex Super Stipple
- Crackle Size Basecoat
- Crackle Stone & Antique Topcoat
- Crackle Glaze
- Coraltex Metallic Hammer Tone
- Scumble Glaze
- Extender Glaze
- Suede Latex
- Metallic Paint
- Luster Plaster (Orystone)
- Acronament (Gesso)
- Durex Texture Spray
- Durex Ceiling Coat
- Durex Plaster Bond Blue & White

#### EIFS Stucco & Components

- Durex Uniplast & Durex Acrybond 'S
- Durex Flexcrete'
- Durex Monobase
- Durex VCA 3.0 Insulation Adhesive
- Durex Monofino
- Durex Monocapa
- Durex Pool Marble Finish
- Durex Trim Coat
- Durex Fiberglass Reinforcing Mesh
- Durex Intermediate Mesh
- Durex High Impact Mesh
- Durex Detail Fiberglass Mesh
- Durex Trim Mesh
- Durex Barrier Seam Tape
- Durex Quantum Select
- Durex Quantum 5.0
- Durex Flexlite Select EPS
- Type 1 Eps
- Type 2 Eps
- Type 3 Eps
- Durex Equalite Mineral Fiber Insulation
- Durex Boundary Boards
- Durex Flexlite Select Vent Board
- Durex Quantum Select Vent Boards
- Durex Dur-A-Mastic 100
- Durex Blue Shield
- Durex Flexcrete
- Durex Green Guard Plus
- Durex Ectoflex
- Durex Barrier Seam Tape
- Durex Flex-Seal
- Flex-Seal VP
- Durex Primerless
- Durex Primerless EIFS Tape

- Durex EIFS Tape
- Durex Flex Seal Mastic
- Durex Flex Seal Wall Flashing Tape
- Durex Flex Seal Red Primer
- Durex Drainage Mat
- Durex Drainage Vent
- Durex Drainage Track
- Durex Uni-Flash Drainage Track
- Kick-Out Flashing
- Window Drips
- Starter Strip EIFS Drainage
- Durex Dryplast
- Durex Uniplast & Acrylic Resin Bond
- Durex Flexcrete
- Permabase Cement Board
- Durex Glass Gold
- Stucco & Stone Veneer Drainage Matt
- Mesh Lath / Rib Lath
- Metal Corner Bead
- Metal Expansion Joints
- Metal Plaster Stop / Casing Bead
- Plastic Corner Bead
- Plastic Plaster Stop
- X-66 Expansion Joint
- Soffit Vent
- Tremco Spectrum 3
- Tremco Spectrum 4-TS
- Backer Rod
- Durex Caulked Joint Weepers
- Caulk Guns

#### Tools & Accessories

- MJP Anchors
- Steel Fasteners
- Ucan Scru-It Masonry Anchor
- Pin Bolts
- U-Drive - Concrete Nails
- Cement Board Anchors
- Roof Grip Screws
- ULP Plates
- Wind-Devil WDP Plates
- Long-Lock Plates
- SDS Hammer Drill Bit
- Groove Tool Trowel
- Straight Groove Blade
- Portable Hot Groover
- Windlock 2-QC Blue Hot Knife
- Yellow Hot Knife Kits
- Hot Wire Machine Accessories
- V-Groove Sleds
- V-Groove Blades
- Square Groove Reveals
- Square Groove Blades
- Angled Groove Reveals
- Angled Groove Blades
- Beveled Groove Sleds

- Beveled Groove Blades
- Permashape Golden Stainless Steel "Broken In" Trowel
- Permashape High Carbon "Broken In" Trowel
- Permashape Golden Stainless Steel w/ Durasoft Trowel
- Golden Stainless Steel w/ Durasoft Xtralite Trowel
- Swimming Pool Trowel
- Finishing Float
- Inox Stainless Steel Venetian Trowels
- Corner Trowels
- Notched Trowel
- Tuck Trowel
- Margin Trowel
- Featheredges
- Hawks
- Ornament Tools
- Rub Bricks & Accessories
- Bucket Scoops
- Stainless Steel Putty Knives
- Putty Knives
- Knives
- Durarasp
- Tiger Claw Durarasp
- Marshalltown Rasp
- Duravac Heavy Duty Electric Rasp + Shop-Vac Back Pack
- Hopper & Texture Guns
- Spray Foam, Guns & Cleaner
- Mixing Paddles
- Mixing Drills
- Chalk Line
- Staple Guns/Tackers
- Staples
- Measuring Tape/Levels
- Top Quality Brushes
- Medium Quality Brushes
- Roller Cage & Refills
- Fiberglass Pole Extensions
- Paint Trays & Accessories
- Wash Brushes
- Masking & Joint Tape
- Stucco Tape & Specialty Masking Tapes
- Tarp/Polyethylene/Masking
- Window Film Protection Tape
- Kraft Paper
- Squeegees
- Spike Shoes
- Spike Roller
- Flooring Trowels
- Cam Guage Rakes

Durex®

CIRCA 1990



**DURabond** 

## Durabond Products Limited

[www.durabond.com](http://www.durabond.com)

### Head Office - Toronto

55 Underwriters Road  
Scarborough, ON M1R 3B4  
(416) 759 4474

### Mississauga Office

6178 Netherhart Road  
Mississauga, ON L5T 1B7  
1 (905) 565 9283

### Western Canada Office

14345 120th Avenue  
Edmonton, Alberta T5L 2R8  
1 (780) 451 6364

[info@durabond.com](mailto:info@durabond.com)

1 (877) 387 2266