

Durex®



DURabond 

Contractor's Guide

Building Products & Solutions

**MOISTURE PROTECTION &
WATERPROOFING**

Pushing the Envelope for Excellence

You have one thing on your mind when it comes to choosing building products & solutions – they have to do more than perform today; they have to outperform for the long term. That’s why for over 50 years, Durabond has been the choice for those who expect more.

We are a leading manufacturer and developer of Exterior Insulated Cladding Systems, Specialized Architectural Coatings, Concrete Restoration Products, Protective Coatings, and a wide range of other related construction products. Whether a high-rise building or a single-family dwelling, a new construction or a restoration project, we understand the critical importance of getting it right the first time.

Our innovative, highly-engineered and tested systems are a creative solution for architects and designers. We are a tried, true and trusted choice for builders, engineers and homeowners who demand durability, superior flexibility, and aesthetic beauty.



Application Method Legend

Use of Product



Recommended



Not Recommended



Safety Hazard

Application Methods



Trowel



Roller



Spray



Sponge





Moisture Protection

Durabond's Moisture Protection products are designed and engineered to protect your building's structural and cladding components against water and moisture penetration. The Durex® Range of moisture protective products includes CCMC listed Air/Moisture Barriers, Waterproofing and Damproofing, Pedestrian and Horizontal Waterproofing Systems as well as Balcony coatings.

- Air / Vapour / Moisture Barriers
- Waterproofing / Damproofing & Foundation Walls
- Pedestrian & Horizontal Waterproofing Systems
- Balcony Coatings

28 Air / Vapour / Moisture Barriers (WRB's)

Durex Flexcrete
Durex Blue Shield
Durex Dur-A-Mastic 100
Durex Green Guard Plus
Durex Ectoflex
Durex Barrier Seam Tape
Durex Flex Seal
Durex Flex Seal VP

33 Waterproofing / Damproofing & Foundation Walls

Durex Dur-O-Lastic
Durex Ectoflex
Super Stick Building Tape
Durex Flex-Seal Wall Flashing Tape
Durex Flex-Seal Red Primer

36 Balcony Waterproofing Systems

Durex Durathane B500
Durex Uraflex 360/375 UV
Durex Acrotel SB

39 Traffic Bearing Waterproofing Systems

Durex Uraflex Traffic Bearing Waterproofing System
Durex Mechanical Room Waterproofing System
Durex Garbage Room Waterproofing System
Durex Uraflex 360
Durex Uraflex 361
Durex Uraflex 375 UV



Durex Air / Moisture Barriers:

Durex Air/Moisture Barriers and Membranes are CCMC tested and approved penetration barriers for both new construction and restoration applications. Formulated using top quality materials, they are engineered to protect the building envelope against the ingress of water and prevent air leakage. Compatible with most common construction surfaces and sheathings:

Product	Substrate	Function	Advantages
Durex Blueshield	Plywood/OSB, Glass Mat Coating Gypsum Board, Concrete & Masonry	Air Barrier	Single Component Versatile Air Barrier
Durex Green Guard	Plywood/OSB, Glass Mat Coating Gypsum Board, Concrete & Masonry	Air / Vapour Barrier	Single Component Versatile Air / Vapour Barrier
Durex Flexcrete	Glass Mat Coated Gypsum Board, Concrete, Masonry	Air Barrier	Cementitious Based Air Barrier Barrier with Multiple Uses
Durex Ectoflex	Glass Mat Coating Gypsum Board, Concrete & Masonry	Air / Vapour Barrier	Cementitious Barrier with Excellent Cold Weather Curing & Crack Bridging Properties
Durex-A-Mastic 100	Plywood/OSB, Glass Mat Coating Gypsum Board	Air Barrier	Single Component Air Barrier with Higher Water Vapour Transmission Rate
Flex-Seal	Plywood/OSB, Glass Mat Coating Gypsum Board, Concrete, Masonry	Air / Vapour Barrier	Impermeable Self-Sealing Sheet Membrane with Nail Sealability
Flex-Seal VP	Plywood/OSB, Glass Mat Coating Gypsum Board, Concrete, Masonry	Air Barrier	Breathable Sheet Membrane with Nail Sealability. No primer required.



Air / Vapour / Moisture Barriers (WRB's)

DUREX FLEXCRETE

07 25 00

Flexible Polymer-based Cementitious Air Barrier

DUREX FLEXCRETE is a two component polymer based mortar consisting of a water based acrylic liquid component Flexcrete, mixed with the dry component Flexcrete "B." DUREX FLEXCRETE mix has been developed to utilize advanced polymer technology to combine the strength and toughness of polymer modified cement with the flexibility of synthetics.

Possible Uses

DUREX FLEXCRETE is used as a Class 3 Air Barrier when applied at a minimum thickness of 1.5 mm (1/16").

ITEM #	ITEM NAME	PACKAGING	UNITS/PALLET	COVERAGE
010300	DUREX Flexcrete (Pail)	30 kg/bag	48 bags/pallet	100-120 ft ² /pail (Air Barrier)
010300B	DUREX Flexcrete B (Bag)	22.7 kg/bag	63 bags/pallet	



DUREX BLUE SHIELD

07 25 00

Flexible Latex Copolymer Air Barrier and Waterproofing Membrane

DUREX BLUE SHIELD is a single component, liquid applied, water-based copolymer rubber air barrier and water penetration barrier. Applied by roller, trowel or spray equipment, it cures to form a tough seamless, elastomeric membrane, which is resistant to air leakage and water ingress under hydrostatic pressure. In its liquid state, DUREX BLUE SHIELD is light blue in colour and cures to a translucent dark blue colour.

Possible Uses

DUREX BLUE SHIELD is used as an air barrier within the building envelope and as a seamless water penetration barrier. It may be applied to most common surfaces and integrated into various wall systems in both new construction and restoration; is a Class 3 Air Barrier and a water penetration barrier at a maximum wet or dry film thickness of 0.39mm.

ITEM #	ITEM NAME	PACKAGING	UNITS/PALLET	COVERAGE
180403	DUREX Blue Shield	18.9 L/pail	48 pails/pallet	200-300 ft ² /pail (WPB/Air Barrier)



Air / Vapour / Moisture Barriers (WRB's)

DUREX DUR-A-MASTIC 100

07 25 00

Water-Based Acrylic Water Resistive Barriers & Insulation Adhesive

DUREX DUR-A-MASTIC 100 is a water based acrylic adhesive. It is an exterior type compound, ready mixed, single component product. Its primary use is as an air/water resistant barrier (WRB). It is also used as an adhesive to bond expanded polystyrene insulation to wood substrates. When used as a WRB, it meets the requirements for moisture-sensitive substrates as well as Class 3 for air barrier membrane. It is applied by trowel and it cures to form a tough, seamless elastomeric membrane, which is resistant to air leakage and water ingress under hydrostaic pressure.

Possible Uses

DUREX DUR-A-MASTIC 100 is used as an air barrier within the building envelope and as a seamless WRB membrane. It may be applied to most common surfaces and integrated into various wall systems in both new construction and restoration.

ITEM #	ITEM NAME	PACKAGING	UNITS/PALLET	COVERAGE
010602	DUREX Dur-A-Mastic 100	18.9 L/pail	48 bags/pallet	100-120 ft ² /pail (Air Barrier/WPB)



DUREX GREEN GUARD PLUS

07 25 00

Flexible Latex Copolymer Air/Vapour Barrier Membrane

DUREX GREEN GUARD PLUS is a single component, liquid applied, water-based copolymer rubber air/vapour barrier. Trowel or spray applied, it cures to form a tough, seamless, elastomeric membrane, which is resistant to air leakage and vapour transmission. In its liquid state, it is light green in colour and cures to a translucent forest green colour.

Possible Uses

DUREX GREEN GUARD PLUS acts as an air/vapour barrier within the building envelope. It may be applied to most common surfaces and integrated into various wall-systems in both new construction and restoration. DUREX GREEN GUARD PLUS can also be used as an adhesive for expanded polystyrene insulation; is a Class 3 Air Barrier and a Type I vapour barrier at a minimum dry film thickness of 1.15mm (45 mil).

ITEM #	ITEM NAME	PACKAGING	UNITS/PALLET	COVERAGE
180402	DUREX Green Guard	18.9 L/pail	48 pails/pallet	150-200 ft ² /pail (WPB/Air Barrier)



Air / Vapour / Moisture Barriers (WRB's)

DUREX ECTOFLEX

07 25 00

Flexible Polymer Based Cementitious Waterproofing & Air/Vapour Barrier

DUREX ECTOFLEX is a two component, flexible, polymer based cementitious coating designed to prevent moisture ingress under hydrostatic pressure as well as air leakage and vapour diffusion. It is light grey in colour when fully cured.

Possible Uses

It is used as a waterproofing membrane designed to provide moisture protection in a variety of both vertical and horizontal applications, including foundation walls, tunnels and other earth sheltered structures, plaza decks, mud slabs and other spilt slab construction, wet rooms and balconies.

ITEM #	ITEM NAME	PACKAGING	UNITS/PALLET
180411A	EctoFLEX (PART A LIQUID)	10 L/pail	-
180411	EctoFLEX (PART B DRY)	22.7 kg/bag	63 bags/pallet



DUREX BARRIER SEAM TAPE

03 21 21

Air/Vapour Barrier Tape System

DUREX BARRIER SEAM TAPE is a thermally set, spun-bonded polyester non-woven fabric made up of 100% continuous polyester filament fibers that are randomly arranged and reinforced with a 5 x 5 polyester scrim for added strength and stability. XP403 has high tensile and tear strength, wets out well with both cold applied cutbacks and emulsions, is non-raveling, moisture, rot and mildew resistant, is lightweight, has good sunlight resistance and possesses good elongation and recovery properties when properly applied. Compatible with oxidized asphalt and cold tar bitumen for use in hot mop system.

Possible Uses

Used in conjunction with our DUREX BLUESHIELD, DUREX GREEN GUARD, DUREX FLEXCRETE, DUREX MASTIC 100 and DUREX ECTOFLEX to bridge interface gaps and create continuity in the water penetration barrier within a wall assembly. DUREX BARRIER SEAM TAPE should be used to seal joints and similar substrates, joints in dissimilar substrates and wherever water infiltration may be a concern.

ITEM #	ITEM NAME	PACKAGING	COVERAGE
180423	DUREX Barrier Seam Tape	160' fl/roll	4' x 160' p/roll



Air / Vapour / Moisture Barriers (WRB's)

DUREX FLEX SEAL

07 25 00

Composite Sheet Air/Vapour Barrier Membrane

FLEX SEAL Air Vapour Barrier is a self-adhering, self-sealing, cold applied composite sheet membrane comprised of 0.9 mm (36 mils) of rubberized asphalt integrally bonded to a 0.1 mm (4 mils) film of high density, cross laminated polyethylene for a minimum thickness of 1.0 mm (40 mils). For ease of application FLEX SEAL Air Vapour Barrier is intertwined with a disposable silicone treated release paper. FLEX SEAL Air Vapour Barrier is dark grey to black in colour.

**Possible Uses**

FLEX SEAL Air Vapour Barrier is an air seal membrane designed to prevent the passage of air into or out of the building enclosures when incorporated with building envelope construction.

ITEM #	ITEM NAME	PACKAGING	COVERAGE
180300	Flexseal 36" Membrane	83.3 lf/roll	250 ft ² /roll
180301	Flexseal 18" Membrane	83.3 lf/roll	125 ft ² /roll

DUREX FLEX-SEAL VP

07 25 00

Self-Adhesive Air/Vapour Barrier Membrane

DUREX® FLEX-SEAL VP is a Self-adhesive vapour permeable and air barrier membrane with a tri-laminated polypropylene facer used on walls. It can also be used as a through-wall flashing membrane and transition membrane. The self-adhesive underface is covered with a silicone release film.

Possible Uses

FLEX SEAL Air Vapour Barrier is an air seal membrane designed to prevent the passage of air into or out of the building enclosures when incorporated with building envelope construction.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
180320	Flexseal VP Membrane	98 lf/roll	306 ft ² /roll

Waterproofing / Damproofing & Transition Membranes

DUREX DUR-O-LASTIC

07 25 00

Composite Sheet Waterproofing Membrane

DUR-O-LASTIC is a self-adhering, cold applied composite sheet membrane comprised of 1.4mm (56 mils) of rubberized asphalt integrally bonded to a 0.1mm (4 mils) film of high density cross-laminated polyethylene for a minimum thickness of 1.5mm (60 mils). For ease of application DUR-O-LASTIC is inter-wound with a disposable silicone treated release paper. It is dark grey to black in colour.

Possible Uses

DUR-O-LASTIC is a waterproofing membrane designed to provide moisture protection in a variety of both vertical and horizontal applications, including: foundation walls, tunnels, and other earth sheltered structures, plaza decks, mud slabs and other split slab construction, wet rooms and balconies.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
180302	Flex-Seal Surface Conditioner	5 gal/pail	1500-1700 ft²/pail
180302A	Dur-O-Lastic WP Membrane	36 in/roll	200 ft²/roll

DUREX ECTOFLEX

07 16 00

Flexible Polymer Based Cementitious Waterproofing Plaster

DUREX ECTOFLEX is a two component, flexible, polymer based cementitious coating designed to prevent moisture ingress under hydrostatic pressure as well as air leakage and vapour diffusion. It is light grey in colour when fully cured.

Possible Uses

It is used as a waterproofing membrane designed to provide moisture protection in a variety of both vertical and horizontal applications, including foundation walls, tunnels and other earth sheltered structures, plaza decks, mud slabs and other split slab construction, wet rooms and balconies.

ITEM #	ITEM NAME	PACKAGING	UNITS/PALLET
180411A	EctoFLEX (PART A LIQUID)	10 L/pail	48 pails/pallet
180411B	EctoFLEX (PART B DRY)	22.7 kg/bag	63 bags/pallet



Waterproofing / Damproofing & Foundation Walls

SUPER STICK BUILDING TAPE

07 25 00

Synthetic Rubber Based Primer

SUPER STICK BUILDING TAPE is a High-Performance Window and Door Flashing Tape A high tack, tenacious, durable, peel and stick air/vapor barrier tape system used for sealing PVC and aluminum fin windows and doors; window and door openings; and as a full coverage air vapor barrier membrane.

Possible Uses

Designed to be applied down to -20°F (-28.88°C) without the use of primer or mechanical fasteners on most substrates. (Substrates must be tested for adhesion.*) It utilizes a high tack pressure sensitive adhesive (PSA) combined with a high performance facer film. This design provides a full 12 month UV exposure. A greener, cleaner building tape solution that offers No VOC's, HFCC's, nor CFC's. It is non-toxic and non-allergenic. No off-gassing is produced during the manufacture nor installation of this product.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
180607A	3" SUPER STICK SW 75'	75 ft/Roll	75'
180607	4" SUPER STICK SW 75'	75 ft/Roll	75'
180608	6" SUPER STICK SW	75 ft/Roll	75'
180609	9" SUPER STICK SW	75 ft/Roll	75'
180610	12" SUPER STICK SW	75 ft/Roll	75'

DUREX FLEX-SEAL WALL FLASHING TAPE

07 25 00

Self-Adhesive Wall Flashing

FLEX-SEAL WALL FLASHING is a self-adhering, self-sealing, cold applied composite sheet membrane comprised of 0.8 mm (32 mils) rubberized asphalt integrally bonded to a 0.2 mm (8 mils) film of high density, crosslaminated polyethylene for a minimum thickness of 1.0 mm (40 mils). For ease of application FLEX-SEAL WALL FLASHING is intertwined with a disposable silicone treated release paper. FLEX-SEAL WALL FLASHING is dark grey to black in colour.

Possible Uses

FLEX-SEAL Air/Vapour Barrier is an air seal membrane designed to prevent the passage of air into or out of the building enclosures when incorporated with building envelope construction. FLEX-SEAL Air/Vapour Barrier is suitable for use in a variety of wall assemblies and in combination with most construction materials including: concrete, masonry, metal and wood/gypsum sheathing.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
180301A	Flex-Seal 6" Flashing Tape	83.3 lf/roll	83.3 lf/roll
180301B	Flex-Seal 9" Flashing Tape	83.3 lf/roll	83.3 lf/roll
180301C	Flex-Seal 12" Flashing Tape	83.3 lf/roll	83.3 lf/roll

Waterproofing / Damproofing & Foundation Walls

DUREX FLEX-SEAL RED PRIMER

07 25 00

Synthetic Rubber Based Primer

FLEX-SEAL RED PRIMER is a fast drying, rubber based, resin cutback primer specially formulated to provide good initial adhesion, and more importantly, excellent permanent adhesion of Flex-Seal Air Vapour Barrier Membranes, it is red in colour and remains “tacky” after drying.

Possible Uses

FLEX-SEAL RED PRIMER is designed to treat all substrates prior to installation of Flex-Seal Air Vapour Barrier Membranes and is suitable for use over most common construction materials, including; masonry, concrete, wood, metal and gypsum sheathing.

Note that FLEX-SEAL RED PRIMER is intended for exterior use only. For information on applications of FLEX-SEAL Air Vapour Barrier Membranes, please consult your Durabond representative.

ITEM #	ITEM NAME	PACKAGING	UNITS/PALLET	COVERAGE
180307	Flex-Seal Red Primer	20 L/pail	48 pail/pallet	1500–2000 ft ² /pail
180307G	Flex-Seal Red Gallon	4 L/pail	-	-



Balcony Waterproofing Systems

DURATHANE B500


07 18 13

Elastomeric Urethane One-Day Balcony Waterproofing System

Durex® Durathane B500 Elastomeric Urethane Balcony Waterproofing System is a two-component, high solids aliphatic urethane membrane engineered to waterproof and to protect wood and concrete surfaces such as balconies and walkways.

Possible Uses

Durex® Durathane B500 Elastomeric Urethane Balcony Waterproofing System is a liquid applied, UV stable, elastomeric one day application coating system. Durex® Durathane B500 Elastomeric Urethane Balcony Waterproofing System has crack bridging properties and rubber crumbs for nonslip functionality.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
702805	DUREX DURATHANE B500	18.9 L/kit	290 ft ² /pail
702805G	DUREX DURATHANE B500	1 gal/kit	58 ft ² /gal
702805K	DUREX DURATHANE B500 - BALCONY KIT	5.67 L/kit	87 ft ² /gal
702423	DUREX EPOTEL PRIMER - 2 PART KIT	18.9 L/kit	1250 ft ² /gal
702423G	DUREX EPOTEL PRIMER - 2 PART KIT	1 gal/kit	250 ft ² /gal

Component	Product	DFT	Coverage	Application Temperature
PRIMER	EPOTEL 45	3 mils	300 ft ² /Gal	5°C to 40°C
TOP COAT	DURATHANE B500	25 mils	58 ft ² /Gal	5°C to 40°C



Balcony Waterproofing Systems

DUREX URAFLEX 360/375 UV

07 18 13


Polyurethane Elastomeric Traffic Bearing Waterproofing System for Balconies & UV Exposed Pedestrian Surfaces

Durex® Uraflex 360/375 UV Polyurethane Elastomeric Traffic Bearing Waterproofing System is a high performance deck coating system for balconies and pedestrian traffic subject to UV exposure. The system consists of an elastomeric membrane base coat, Durex® Uraflex 360 and an abrasion, UV-resistant topcoat, Durex® Uraflex 375 UV.

Durex® Uraflex 360/375 UV is a UV-resistant, traffic bearing protective waterproofing system which is aesthetically pleasing, resistant to dirt pick-up and is easy to clean.

Possible Uses

Durex® Uraflex 360/375 UV is intended for use as a protective waterproofing deck coating system for concrete, exterior grade plywood, and metal surfaces.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
702801	DUREX URAFLEX 360 (MEMBRANE)	18.9 L/kit	275 ft²/pail
702801G	DUREX URAFLEX 360 (MEMBRANE)	1 gal/kit	55 ft²/pail
702803	DUREX URAFLEX 375UV	18.9 L/kit	450 ft²/pail
702803G	DUREX URAFLEX 375UV	1 gal/kit	90 ft²/pail
020202	SILICA SAND #32 - ANTI SLIP GRIT	5 lbs/bag	5-10 ft²/lbs

Component	Product	DFT	Coverage	Application Temperature
PRIMER	URAFLEX 360	30 mils	53 ft²/Gal	5°C to 40°C
TOP COAT	URAFLEX 375UV	10 - 15 mils	90 - 105 ft²/Gal	5°C to 40°C



Balcony Waterproofing Systems

ACROTEL SB

09 97 00

Pigmented Acrylic Sealer Concrete & Masonry Coating

Durex® Acrotel SB Pigmented Protective Sealer for Concrete & Masonry is a high performance solvent based, acrylic modified VOC complaint pigmented sealer formulated to protect and enhance concrete and masonry substrates.

Possible Uses

Durex® Acrotel SB Pigmented Protective Sealer for Concrete & Masonry is to used provide a tough, durable, hard-wearing, long-lasting pigmented sealer for protecting concrete and masonry structures against the penetration of water, moisture and contaminates. It is also used as a coating for light traffic horizontal surfaces, such as balcony floors and lightly used walkways & stairwells.

Durex® Acrotel SB Pigmented Protective Sealer for Concrete & Masonry is to be used throughout the construction season and is considered to be an all-season application product as it is formulated to cure down to minus 5 degrees Celsius.



ITEM #	ITEM NAME	PACKAGING	UNITS/PALLET	COVERAGE
702101	DUREX ACROTEL SB	18.9 L/pail	48 pails/pallet	7.4 m ² /L
702101G	DUREX ACROTEL SB (GALLON)	1 gal/pail		300 ft ² /gal

DISCLAIMER: NOT A WATERPROOFING MEMBRANE / COATING




Traffic Bearing Waterproofing Systems


URAFLEX TRAFFIC BEARING WATERPROOFING SYSTEM

07 18 16


Polyurethane Elastomeric Traffic Bearing Waterproofing System for Vehicular Parking Decks



LIGHT VEHICULAR & PEDESTRIAN PARKING STALLS



HEAVY VEHICULAR DRIVE AISLES



EXTRA HEAVY VEHICULAR TURNING LANES

SYSTEM DESCRIPTION	COATING COMPONENTS		
	MEMBRANE	1° TOP COAT	2° TOP COAT
Parking Stalls "Light Vehicular & Pedestrian"	Uraflex 360	Uraflex 361 (aggregates 10-15 Lbs/100 SF)	Not Required
<i>System Thickness : 38 Mils</i>	<i>DFT:20mils</i>	<i>DFT:18mils</i>	-
Drive Isles "Heavy Vehicular Use"	Uraflex 360	Uraflex 361 (aggregates 30-45 Lbs/100 SF)	Not Required
<i>System Thickness : 45 Mils</i>	<i>DFT:20mils</i>	<i>DFT:25mils</i>	-
Turning Lanes & Ramps "Extra Heavy Vehicular Use"	Uraflex 360	Uraflex 361 (aggregates 50-75 Lbs/100 SF)	Uraflex 361 (OPTIONAL: 5-10 Lbs/100 SF)
<i>System Thickness : 56 Mils</i>	<i>DFT:20mils</i>	<i>DFT:18mils</i>	<i>DFT:18mils</i>

ITEM #	ITEM NAME	PACKAGING	COVERAGE
702801	URAFLEX 360 (MEMBRANE)	5 USG kit	80 SF / gallon @ 20 mils DFT
702801B	URAFLEX 360 (MEMBRANE) - BULK	20 USG kit	80 SF / gallon @ 20 mils DFT
702801G	URAFLEX 360 (MEMBRANE) - GALLON	1 USG kit	80 SF / gallon @ 20 mils DFT
702802	URAFLEX 361 (TOPCOAT)	5 USG kit	80 SF / gallon @ 20 mils DFT
702802B	URAFLEX 361 (TOPCOAT) - BULK	20 USG kit	80 SF / gallon @ 20 mils DFT
702802G	URAFLEX 361 (TOPCOAT) - GALLON	1 USG kit	80 SF / gallon @ 20 mils DFT
702803	URAFLEX 375UV	5USG kit	90 SF / gallon @ 15 mils DFT
702803B	URAFLEX 375UV - BULK	20 USG kit	90 SF / gallon @ 15 mils DFT

URAFLEX 375UV: EXPOSED PARKING DECKS (AREAS SUBJECT TO UV EXPOSURE): APPLY A FINAL TOPCOAT OF DUREX® URAFLEX 375UV AT 10-15 MILS BROADCASTING AGGREGATE AT 5-10 LBS PER 100 SQ.FT.

EPOTEL UR: FOR EXTREME TRAFFIC WEAR, USE DUREX® EPOTEL 100 UR AS A HIGHLY ABRASION RESISTANT TRAFFIC BEARING TOPCOAT. CONSULT A DURABOND TECHNICAL REPRESENTATIVE FOR FURTHER INFORMATION.

URAFLEX PRIMER: OPTIONAL PRIMER - DUREX® URAFLEX PRIMER. APPLIED AT 5 MILS DFT.

Traffic Bearing Waterproofing Systems

MECHANICAL ROOM WATERPROOFING SYSTEM


07 18 00

Mechanical Room Waterproofing Floor Coating

Durex® Uraflex Mechanical Room Waterproofing System is a high performance waterproofing system for mechanical rooms. The system consists of an elastomeric membrane base coat, Durex® Uraflex 360 Elastomeric Polyurethane Waterproofing Membrane, and an easy-to-use protective topcoat, Durex® Epoxy Guard Pro Professional Use Quick-Drying Water Based Epoxy Coating.

Possible Uses

Durex® Uraflex Mechanical Room Waterproofing System that is intended for use as a protective mechanical room waterproofing system subject to light foot traffic.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
702801	URAFLEX 360 (MEMBRANE)	5 USG	1.2 m²/L
702801G	URAFLEX 360 (MEMBRANE) - GALLON	1 USG	50 ft²/gal
702208	EPOXY GUARD PRO	5 USG	7 m²/L
702208G	EPOXY GUARD PRO – GALLON	1 USG	(400 ft²/gal)

Component	Product	DFT	Coverage	Application Temperature
PRIMER	N/A	N/A	N/A	N/A
MEMBRANE	URAFLEX 360	32 mils	50 ft²/Gal	10°C to 35°C
TOP COAT	EPOXY GUARD PRO	5 mils	250 ft²/Gal	10°C to 35°C

Note: For Heavy Traffic Applications, use Durex® Heavy Duty Mechanical Waterproofing System. Contact Durabond for further information or visit www.durabond.com.

Traffic Bearing Waterproofing Systems

GARBAGE ROOM WATERPROOFING SYSTEM


07 18 00

Garbage Room Waterproofing Floor Coating

Durex® Garbage Room Waterproofing System is a high performance waterproofing system designed for suspended slab garbage rooms in most commercial, residential and institutional complexes. The system consists of an elastomeric membrane base coat, Durex® Uraflex 360 Elastomeric Polyurethane Waterproofing Membrane, silica sand broadcast to excess in Durex® Uraflex 100 and topcoated with Durex® Uraflex 100, a durable, chemically resistant coating.

Possible Uses

Durex® Garbage Room Waterproofing System is intended for use on suspended slab garbage rooms as a protective waterproofing system.



ITEM #	ITEM NAME	PACKAGING	COVERAGE
702801	URAFLEX 360 (MEMBRANE)	5 USG	1.2 m²/L
702801G	URAFLEX 360 (MEMBRANE) – GALLON	1 USG	50 ft²/gal
702300	DUREX URAFLEX 100	5 USG	0.9 m²/L
702300G	DUREX URAFLEX 100 – GALLON	1 USG	36 ft²/gal
020202	SILICA #32 - ANTI-SLIP GRIT	22.7KG	1-2 lbs/ft²

Component	Product	DFT	Coverage	Application Temperature
PRIMER	URAFLEX 360	32 mils	50 ft²/Gal	10°C to 35°C
MEMBRANE	URAFLEX 100 + BROADCAST AGGREGATE	35 mils + 1/16"	45 ft²/Gal	10°C to 35°C
TOP COAT	URAFLEX 100	10 mils	160 ft²/Gal	10°C to 35°C

Note: For Extreme Wear & Traffic Applications, use Durex® Heavy Duty Garbage Room Waterproofing System. Contact Durabond for further information or visit www.durabond.com.

Traffic Bearing Waterproofing Systems

DUREX URAFLEX 360

07 18 16

Elastomeric Traffic Bearing Waterproofing Membrane

Durex® Uraflex 360 is a two component, 100% solids, solvent-free, high solids elastomeric polyurethane waterproofing membrane formulated for use in a traffic bearing system. It adheres to concrete and wood surfaces to form a highly effective waterproofing membrane. Durex® Uraflex 360 must be top coated to achieve an effective Traffic Bearing System.

Possible Uses

Durex® Uraflex 360 is used in conjunction with other Durex® Traffic Bearing coatings to form a comprehensive, traffic bearing, and waterproofing system. It is designed to perform as a water resistant traffic bearing membrane on a variety of surfaces such as concrete and wood.



ITEM #	ITEM NAME	PACKAGING
702801	URAFLEX 360 (MEMBRANE)	5 USG
702801G	URAFLEX 360 (MEMBRANE) - GALLON	1 USG

DUREX URAFLEX 361

07 18 16

Elastomeric Polyurethane Traffic Bearing Topcoat

Durex® Uraflex 361 is a two-component, solvent-free, high solids elastomeric polyurethane topcoat specially formulated for traffic bearing surfaces. It is designed to adhere to Durex® Uraflex 360 Elastomeric Polyurethane Waterproofing Membrane and other similar membranes to form a highly effective traffic bearing waterproofing system.

Possible Uses

Durex® Uraflex 361 Elastomeric Polyurethane Traffic Bearing Topcoat is used as a resilient topcoat for traffic bearing waterproofing systems. It can be recoated for additional wear resistance. Anti-slip performance is achieved by broadcasting silica sand or aluminum oxide grit into the coating.



ITEM #	ITEM NAME	PACKAGING
702802	URAFLEX 361 (TOPCOAT)	5 USG
702802G	URAFLEX 361 (TOPCOAT) - GALLON	1 USG

Traffic Bearing Waterproofing Systems

DUREX URAFLEX 375 UV

07 18 16

Non-Yellowing Elastomeric Polyurethane Traffic Bearing Topcoat

Durex® Uraflex 375 UV is a liquid applied, two-component, high solids elastomeric polyurethane topcoat. It is specifically formulated to adhere to Durex® Uraflex 360 and Durex® Uraflex 361 to form a highly effective, UV stable, abrasion resistant, elastomeric traffic bearing waterproofing system.

Possible Uses

Durex® Uraflex 375 UV is engineered to provide a tough, durable, resilient topcoat for outdoor traffic bearing surfaces subjected to UV exposure. It can be re-coated for additional wear resistance and used with aggregates for non-slip performance.



ITEM #	ITEM NAME	PACKAGING
702803	URAFLEX 375UV	5 USG
702803G	URAFLEX 375UV - GALLON	1 USG

Concrete & Masonry Restoration

- Concrete Mix Design Charts
- Durex Dur-A-Patch
- Durex Dryplast
- Durex Dryplast Concentrate
- Durex Uniplast & Acrylic Resin Bond
- Durex Flexcrete
- Durex Ectoflex
- Durex Dur-A-Top 15 Self Leveling Cement
- Durex Sand Mix
- Portland Cement
- Tremco Dymonic 100
- Tremco Vulkem 45 SSL
- Durex EMC Knife Grade
- Durex Acrybond Concentrate
- Acrylic Resin Bond
- Dur-A-Patch Liquid Additive
- Durex Cement Bond
- Durex Acrybond 'S'
- Durex AR Grade 1" Grid Concrete Reinforcing Mesh
- Durex E-Grade 1½" Grid Concrete Reinforcing Mesh (AR Coated)
- Durex Fiberglass Reinforcing Mesh
- Concrete Restoration Guide
- Masonry Restoration Guide

Moisture Protection

- Durex Flexcrete
- Durex Blue Shield
- Durex Dur-A-Mastic 100
- Durex Green Guard Plus
- Durex Ectoflex
- Durex Barrier Seam Tape
- Durex Flex Seal
- Durex Flex Seal VP
- Durex Dur-O-Lastic
- Durex Ectoflex
- Super Stick Building Tape
- Durex Flex-Seal Wall Flashing Tape
- Durex Flex-Seal Red Primer
- Durex Durathane B500
- Durex Uraflex 360/375UV
- Durex Acrotel SB
- Durex Uraflex Traffic Bearing Waterproofing System
- Durex Mechanical Room Waterproofing System
- Durex Garbage Room Waterproofing System
- Durex Uraflex 360
- Durex Uraflex 361
- Durex Uraflex 375 UV

Protective Coatings & Sealers

- Durex Brush Coat
- Acrotel EC-A
- Durex Ecto-Sil 1000

- Durex EMC
- Durex EMC Knife Grade
- Durex Roltex
- Durex Dur-X-Cel 100
- Durex Dur-X-Cel Primer
- Durex Acrotel SB Non-Porous Primer
- Durex Durathane 90
- Durex Epotel Anti-Corrosion Metal Primer
- Durex Epotel WB DTM
- Durex TBC
- Durex Acrotel SB Metal Primer
- Durex Acrotel DTM
- Durex Acrotel SB Primer
- Durex Acrotel SB Metal
- Durex Wall Seal
- Durex Dur-A-Seal A28
- Durex Dur-A-Seal A.G.
- Durex Dur-A-Seal XL 250
- Durex Acrotel SB Floor Grade
- Durex Concrete Sealer WB 18/25
- Durex Epotel 80
- Durex Diamond LOK
- Durex Silane WRS 40/100

Floor Coatings

- Durex Epotel 100 GSC
- Durex Epotel 100 GSC Rapid Cure
- Durex Epotel 100 GSA
- Durex Uraflex 100
- Durex Uraflex 100 OP
- Durex Epoxy Guard Pro
- Durex Epotel 100 UR
- Durex Epotel 100 Novolac
- Durex Epotel 100 CR
- Durex Duracrete Broadcast
- Durex Duracrete Trowel
- Durex Epotel 100 TL
- Durex Duracrete Aggregate
- Durex Uracrete
- Durex Art-I-Stone
- Durex Dur-A-Flake
- Durex Dur-A-Quartz Broadcast
- Durex Dur-A-Quartz Trowel
- Durex Granitech
- Durex Acrutel 50
- Durex Aquathane
- Durex Durathane 90
- Durex Polyuretel
- Durex Epotel Multi-Prime
- Durex Moisture Block 100
- Durex Uraflex Primer
- Durex Uraflex Citrus Primer

- Durex Epotel 100 Crack Filler
- Durex Anti Slip Aggregates
- Durex Acrotel SB
- Durex TBC
- Durex Epoxy Guard
- Durex Epoxy Guard Pro

Exterior Wall Systems

- Durex Flexlite Select
- Durex Quantum Select
- Durex Quantum Select MF
- Durex Quantum 5.0
- Durex Quantum Select ICF
- Durex Equalite
- Durex Insulite EW-17
- Durex Flexlite ADH
- Durex Lite Coat
- Durex Stucco Lite
- Durex Stucco Wall
- Durex ICF Coating

Architectural Coatings & Decorative Finishes

- Durex Marble Coat 1.5
- Durex Marble Coat 1.0
- Durex Venecian
- Pebble Float
- Durex Sandex
- Durex Trim Spray
- Durex Stucco Spray
- Durex Graffiato
- Durex Sandstone
- Durex Rasato
- Durex Rustico
- Durex Antico Glaze
- Durex Trowel Grade Stucco
- Durex Gemstone
- Durex Granite
- Durex Stonetex
- Durex Crystal Coat
- Durex Cromatex
- Durex Aggex
- Durex Rough Cast
- Durex Decorative Stucco Ext
- Durex Monocapa
- Durex Monofino
- Durex Dur-A-Brick
- Durex Brush Coat
- Durex EMC
- Durex Dur-X-Cel 100
- Durex Roltex
- Durex Kolor Gard
- Durex Elastomeric Brush Coat
- Durex Elastomeric Graffiato
- Durex Elastomeric Marble Coat 1.0
- Durex Elastomeric Marble Coat 1.5
- Durex Elastomeric Sandex
- Durex Elastomeric Venecian

- Acroplast Venetian Plaster
- Durex Super Stipple
- Crackle Size Basecoat
- Crackle Stone & Antique Topcoat
- Crackle Glaze
- Coraltex Metallic Hammer Tone
- Scumble Glaze
- Extender Glaze
- Suede Latex
- Metallic Paint
- Luster Plaster (Orystone)
- Acronament (Gesso)
- Durex Texture Spray
- Durex Ceiling Coat
- Durex Plaster Bond Blue & White

EIFS Stucco & Components

- Durex Uniplast & Durex Acrybond 'S
- Durex Flexcrete'
- Durex Monobase
- Durex VCA 3.0 Insulation Adhesive
- Durex Monofino
- Durex Monocapa
- Durex Pool Marble Finish
- Durex Trim Coat
- Durex Fiberglass Reinforcing Mesh
- Durex Intermediate Mesh
- Durex High Impact Mesh
- Durex Detail Fiberglass Mesh
- Durex Trim Mesh
- Durex Barrier Seam Tape
- Durex Quantum Select
- Durex Quantum 5.0
- Durex Flexlite Select EPS
- Type 1 Eps
- Type 2 Eps
- Type 3 Eps
- Durex Equalite Mineral Fiber Insulation
- Durex Boundary Boards
- Durex Flexlite Select Vent Board
- Durex Quantum Select Vent Boards
- Durex Dur-A-Mastic 100
- Durex Blue Shield
- Durex Flexcrete
- Durex Green Guard Plus
- Durex Ectoflex
- Durex Barrier Seam Tape
- Durex Flex-Seal
- Flex-Seal VP
- Durex Primerless
- Durex Primerless EIFS Tape

- Durex EIFS Tape
- Durex Flex Seal Mastic
- Durex Flex Seal Wall Flashing Tape
- Durex Flex Seal Red Primer
- Durex Drainage Mat
- Durex Drainage Vent
- Durex Drainage Track
- Durex Uni-Flash Drainage Track
- Kick-Out Flashing
- Window Drips
- Starter Strip EIFS Drainage
- Durex Dryplast
- Durex Uniplast & Acrylic Resin Bond
- Durex Flexcrete
- Permabase Cement Board
- Durex Glass Gold
- Stucco & Stone Veneer Drainage Matt
- Mesh Lath / Rib Lath
- Metal Corner Bead
- Metal Expansion Joints
- Metal Plaster Stop / Casing Bead
- Plastic Corner Bead
- Plastic Plaster Stop
- X-66 Expansion Joint
- Soffit Vent
- Tremco Spectrum 3
- Tremco Spectrum 4-TS
- Backer Rod
- Durex Caulked Joint Weepers
- Caulk Guns

Tools & Accessories

- MJP Anchors
- Steel Fasteners
- Ucan Scru-It Masonry Anchor
- Pin Bolts
- U-Drive - Concrete Nails
- Cement Board Anchors
- Roof Grip Screws
- ULP Plates
- Wind-Devil WDP Plates
- Long-Lock Plates
- SDS Hammer Drill Bit
- Groove Tool Trowel
- Straight Groove Blade
- Portable Hot Groover
- Windlock 2-QC Blue Hot Knife
- Yellow Hot Knife Kits
- Hot Wire Machine Accessories
- V-Groove Sleds
- V-Groove Blades
- Square Groove Reveals
- Square Groove Blades
- Angled Groove Reveals
- Angled Groove Blades
- Beveled Groove Sleds

- Beveled Groove Blades
- Permashape Golden Stainless Steel "Broken In" Trowel
- Permashape High Carbon "Broken In" Trowel
- Permashape Golden Stainless Steel w/ Durasoft Trowel
- Golden Stainless Steel w/ Durasoft Xtralite Trowel
- Swimming Pool Trowel
- Finishing Float
- Inox Stainless Steel Venetian Trowels
- Corner Trowels
- Notched Trowel
- Tuck Trowel
- Margin Trowel
- Featheredges
- Hawks
- Ornament Tools
- Rub Bricks & Accessories
- Bucket Scoops
- Stainless Steel Putty Knives
- Putty Knives
- Knives
- Durarasp
- Tiger Claw Durarasp
- Marshalltown Rasp
- Duravac Heavy Duty Electric Rasp + Shop-Vac Back Pack
- Hopper & Texture Guns
- Spray Foam, Guns & Cleaner
- Mixing Paddles
- Mixing Drills
- Chalk Line
- Staple Guns/Tackers
- Staples
- Measuring Tape/Levels
- Top Quality Brushes
- Medium Quality Brushes
- Roller Cage & Refills
- Fiberglass Pole Extensions
- Paint Trays & Accessories
- Wash Brushes
- Masking & Joint Tape
- Stucco Tape & Specialty Masking Tapes
- Tarp/Polyethylene/Masking
- Window Film Protection Tape
- Kraft Paper
- Squeegees
- Spike Shoes
- Spike Roller
- Flooring Trowels
- Cam Guage Rakes

Durex®

CIRCA 1990



DURabond 

Durabond Products Limited

www.durabond.com

Head Office - Toronto

55 Underwriters Road
Scarborough, ON M1R 3B4
(416) 759 4474

Mississauga Office

6178 Netherhart Road
Mississauga, ON L5T 1B7
1 (905) 565 9283

Western Canada Office

14345 120th Avenue
Edmonton, Alberta T5L 2R8
1 (780) 451 6364

info@durabond.com

1 (877) 387 2266